

36 The only sailing and power-driven catamaran

TROPICAL Designed for the Tropics

INNOVATIONS


Sailing in the Tropics is a dream for many yachtsmen but it can easily turn into a nightmare as soon as temperature is over 30 degrees C.

The 36 Tropical offers a number of innovations adapted to this specific environment.

- The cockpit and central space of the boat are designed in order to ensure ventilation even with the slightest breath of air
- In case of rain, a system fitted with sunbrella canvas allows the central space to become watertight
- Cabins enjoy large portholes as well as a tangential ventilation system which ensures a pleasant air flow
- The outstanding circulation aboard this "36 Tropical " allows to enjoy outdoor life at its best, a necessity in the Tropics
- A large central space and cockpit offers a unique space for a boat of this size as well as direct access from inside to the front section and trampolines
- The central helm position offers an excellent visibility while being well protected from sun and rain
- Sailors who prefer using a traditional tiller are able to steer from the cockpit by disconnecting the main helm and fixing to it the two tillers
- Two outboard motors (from 20 to 50 HP as customers choose) allow to cruise at a speed of 15 knots
- Hulls are designed in a way which allows to surf easily either with a tail wind or when using motors
- Saffrons and motors can be pushed up in order to land easily on beaches
- A group of Li-on batteries associated to a large surface of solar panels offers an important electrical autonomy

SAFETY

Catathai uses quality materials and builds ships according to the "Catathai exclusive Vacuum system". Design is 100% French. The "36 Tropical" is reputed to be anti-osmosis, anti- hull delamination, unsinkable and self-extinguishable.



36
TROPICAL

Designed for the Tropics



tropical 36

36
TROPICAL

FITTING-OUT

Living on board



COMFORTABLE .

- Large central lounge with bar and wide sofas
- Helm at center of cockpit with access to all maneuvers and an excellent 360° visibility. Additional tillers at the rear
- The table in the central space can be adapted in order to accommodate up to 8 persons
- Double bunk cabins at the rear and single bunk ones at the front
- Sliding sun-screen over helm station

ADAPTABLE .

At Catathai, all that is not part of the structure of the boat (wardroom, cockpit, cabins...) can be modified.

For example, the transparent side panels extending from the roof to the deck can be replaced by an aluminum structure, to appreciate the sea air.

It's designed with 2 integrated outboard engines, but standard diesel inboard S or V-drive are available.

36 SPECIFIC FEATURES

TROPICAL

A boat designed for comfortable sailing in tropical waters

EASY ACCESS & MAINTENANCE

Engines fitted in a dedicated compartment in order to facilitate maintenance with systems allowing to push them up

Batteries fitted in a well ventilated dedicated compartment with easy access

Easy access to saffrons with a possibility to push them up

ÉCO FRIENDLY :

Optional solar panels on the roof, up to 3 square meters, coupled with Li-on batteries


Use of recyclable foam PET instead of PVC

Use of natural wood veneer for internal structures

36

TROPICAL

Designed for the Tropics



OUTSIDE COMFORT

- Reduced trampoline zone allowing to maximize space on deck and inside volume, with direct access to cockpit
- Front area fitted with stowed cushions
- Facilities for easy bathing between the hulls (optional)
- Sofa style lounge

INSIDE COMFORT

- Wide hulls accommodating 4 wide double cabins and 4 toilets
- Forced ventilation (standard) / air-conditioning (optional)

36 CHARACTERISTICS

TROPICAL 36 feet CATAMARAN

Overall length: 11,70 m
Floating length: 10,90 m
Width : 6,27 m
Draft: 0.85 m
Draft of air: 17,40 m
Light displacement: 4.5 t
Travel load: 7.1 t
Sail area upwind: 77 m²

36

TROPICAL

Designed for the Tropics



EQUIPEMENTS

Fresh water capacity: 2 x 150 L
Fuel capacity: 2 x 100 L
Standard motorization: 2 x 20 HP (2 x 50 HP optional)

CONSTRUCTION

Sandwich: AIREX foam, Multiaxial fiberglass, Kevlar, Vinylester resin
(Anti-osmosis, self-extinguishing).
Anti-delamination design, unsinkable.
Reinforced bows, front and rear crash-boxes
CE Standards Design
Category B

SUPPLIERS

Mast & boom Z-Spars, anodized aluminium
Sails ELVSTROM
Stainless steel standing rigging.
Deck fittings ANTAL.

CONCEPTION

Architect : Alexandre FORTABAT Yacht Design
Interior Design : Christine Ilex BEINEMEIER





PRICE LIST TROPICAL 36

Sailing Catamaran

Technical Characteristics

Longueur Hors tout LOA	10,90 m
Largeur BOA	6,27 m
Draft	0,70 m
Light displacement	3,5 t
Full displacement	5,2 t
Engines	Benzine gas, Outboard engi
Power	2 x 20 HP, up to 50 HP
Capacité gas	2 x 125l
Capacity water	2 x 150l
Cabines et toilettes	3 / 2
Code 0 surface	xx m2
Mainsail surface	43 m2
self-tacking jib surface	27 m2
Tirant d'air	xx m

Three Cabines

Prix Baths

7,220,000

OPTIONS A L'UNITE

Extérieur

Deck/Cockpit

Flexiteck (synthetic teck) transom & cockpit

Outdoor foredeck cushions in 2 parts with bar area

Fabric closing the access to the helm station : bimini + enclosure

Convertible cockpit table in lounge bed (upholstery included)

Sailing

Electric winch for sails

Sail Elvstrom type Code 0 + enrouleur

Hulls

Antifouling pack plus : 3 layers HQ replacing standard antifouling

Aramid (Kevlar) doubling of hull bottom

Intérieur

Cabines

Beds with slatted bases for 2 cabines

Latex mattress 15cm in rear cabin (for each)

Cabinet de toilette

Electric toilet with seawater rinsing (per unit)

Electric toilet with freshwater rinsing (per unit)

Espace de vie / cuisine

Fridge / Freezer 104l / 78l (replaces standard fridge)

Fridge / Freezer + Ice maker (64L+80L)

Gaz or electric Plancha

Electric seawater kitchen pump

Divers

Security

Hypalon Dinghy Alu 3,10 m + engine HB Suzuki 9,9cv

Galvanic isolation

B cat. safety equipment without life raft

MP6 container life raft

MP10 container life raft

Water

Watermaker 60 L/H 12V Rainman

Watermaker 100 L/H AC Rainman

Engines

Outboards Engines Suzuki 2x50 HP, instead 20 HP

Center and rear

Stainless steel handrails

Deck shower

Accès compartiment moteur

swim ladder

Front

Trampolines

Pivoting embarkation ladder

Rigging

Anodised aluminium mast / 1 étage de barres de flèche

Grément courant

Lazy-bag and lazy-jacks (standard)

Anodized aluminum boom

Sails

CST mainsail full batten Elvstrom

Jib with UV protection Elvstrom

Code 0 on furler

Winches

Winch Antal on helm station, self-tailing, 2 speeds

Winch Antal on sides, self-tailing, 2 speeds

Winch cranks and holsters

Livraison

Mooring Kit + 4 fenders

Fitting-out

Front Cabines (Version 4 cabines)

Simple berth, standard foam bedding 210x80 cm

Wardrobe and shelf

Storage volume under the bed

Curtains in cabins

plexi line with opening porthole

Ceiling courtesy LED lighting

Rear Cabines

Double berths, standard foam bedding 200x145 cm

Wardrobe and shelf

Storage volume under the bed

Curtains in cabins

plexi line with opening porthole

Ceiling courtesy LED lighting

Cabinets (1 by hull - depends of version)

Shower room by hull (column and mixer tap)

Washbasin and mixer tap

Mirror

Mechanical WC (direct evacuation to the sea)

plexi line with opening porthole

Ceiling courtesy LED lighting

Saloon / kitchen

Refrigerator 150l

Cooler 85l Kitchen

3-section sofa + storage boxes + cushions

Saloon table convertible into bed

Ceiling courtesy LED lighting

Large front windshield with 4 portholes

12V fans

deck opening hatches

Cabin access door, lockable

Storage and drawer under seat

Cupboards with drawer and shelf

Sink with mixer tap

Gaz hob and oven

Bottle rack

Various

Plumbing - drying

Holding tanks (1 by hull)

Fresh water tank 2 x 150 liters

Hot water tank operating via engine cooling

Water gauge: 1 per tank

Electric and manual bilge pump in each float

Electric bilge pump in each engine compartment

Motorization

Acoustic insulation of engine compartment

Fuel tanks 2 x 150 litres

Outboard Suzuki 20cv

Fixed aluminum tri-blade propellers

Fuel gauge

Electricity

12 V / 130 Ah gel Service batteries

12V / 90Ah maintenance free gel motor batteries

Shore power 230V / 32A with extension 15 m

Victron batteries charger and controler

Interior 12V outlet and waterproof exterior 12V outlet

Standard solar panels 100W

Victron BlueSolar controler

Tableau de distribution générale 12V

Automatic switch for bilge pumps

Panneau électrique 230 V

Isolation Galvanique

Victron Service Battery Manager

Navigation

Fusion audio pack Bluetooth : FUSION MS-RA70N with amplifier MS-AM402 with 4 HP MS-FR7021


VHF mast head antenna prewired

LED Navigation lights

Certification

Certification CE catégorie C (12 pers.)

Certification CE catégorie B (12 pers.)



Non-contractual document – subject to change.

